

"AGRICULTURAL USE"



Insecticide Concentrated
Aqueous Suspension

PERCENTAGE COMPOSITION

% in weigh

Active ingredient:

Fipronil

20.12

5-amino-1- (2,6-dichloro- α , α , α -trifluoro-p-tolyl) -4-trifluoromethylsulfinylpyrazole-3-carbonitrile (Equivalent to 200 g of i.a./L at 20 ° C)

Inert ingredients:

79.88

Viscosante, antioxidant, diluent, surfactant, dispersant, preservative, colorant, antifreeze, vehicle

Total

100.00

Registry: RSCO-INAC-101A-0531-064-20.12



"Harmful if inhaled"

Holder of the registration, Formulated and Distributed by: LAPISA, S.A. DE C.V.

Carr. La Piedad-Guadalajara Km. 5.5

Col. Camelinas, C.P. 59375,

La Piedad, Michoacán, México.

Tel.: 01(352) 526 13 00.

www.lapisa.com

MADE IN CHINA AND / OR IN MEXICO

" THIS MATERIAL IS NOT A LABEL, THE FUNCTION OF THIS DOCUMENT IS ILLUSTRATIVE. "

CAUTION

"STOP, READ THE LABEL BEFORE USING THE PRODUCT"

"PRECAUTIONS AND WARNINGS FOR USE"

Wear the appropriate and complete protective equipment necessary to safely perform the handling operations for the preparation, the loading of the application equipment and its application: cotton cap and overalls and / or Tyvek suit, vapor mask, glasses or lenses of chemical type protection, gloves and neoprene boots.

"PRECAUTIONS DURING PRODUCT HANDLING"

"DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT".

"DO NOT TRANSPORT OR STORE ALONG WITH FOOD PRODUCTS, CLOTHES OR FORAGE."

"KEEP OUT OF REACH OF CHILDREN, PREGNANT WOMEN, BREASTFEEDING AND DOMESTIC ANIMALS".

"WASH YOUR HANDS AFTER USING THE PRODUCT AND BEFORE CONSUMING FOOD".

"DO NOT STORE IN HOUSES ROOM".

"DO NOT USE THE PRODUCT WITHOUT THE PROPER PROTECTION EQUIPMENT".

"PERSONS UNDER 18 YEARS OLD SHOULD NOT HANDLE THIS PRODUCT".

"AT THE END OF THE WORK DAY BATH AND PUT CLEAN CLOTHES".

"DO NOT INGIRE, INHALE AND AVOID CONTACT WITH EYES AND SKIN".

"DO NOT MIX OR PREPARE THE PRODUCT WITH YOUR HANDS, USE GLOVES, USE A PIECE OF WOOD OR OTHER APPROPRIATE MATERIAL".

"DO NOT UNLOCK THE NOZZLE WITH THE MOUTH".

"IN CASE OF INTOXICATION, TAKE THE PATIENT WITH THE DOCTOR AND SHOW THIS LABEL"

"FIRST AID"

In case of poisoning get medical attention immediately or call the Poison Attention Center (ATOX) for medical assistance 24 hours a day at 01-800-000-2869, meanwhile, it is recommended to apply the following first aid measures: Inhalation : Move the contaminated person to fresh air. If you do not breathe, give artificial respiration, preferably mouth to mouth. Ingestion: Immediately give one or two glasses of water and induce vomiting by gently touching the back of the throat with a finger or an object. Do not induce vomiting or administer anything by mouth to an unconscious person. Skin: Wash with plenty of soap and water.

Eyes: Rinse with plenty of water for at least 15 minutes.

"RECOMMENDATIONS TO THE DOCTOR"

Chemical Group: Phenylpyrazoles.

Antidote and treatment: There is no specific antidote, therefore, symptomatic treatment should be given.

Signs and symptoms of poisoning:

Oral: if the pesticide has been ingested, it causes nausea and vomiting.

Inhalation: this product acts on the central nervous system, the symptoms of poisoning include:

difficulty breathing; inhibition of reflexes, lethargy, muscle tremors and in severe cases seizures.

Dermal and ocular: can cause skin and eye irritation and can cause allergies in sensitive people.

MEASURES FOR PROTECTION TO THE ENVIRONMENT

"DURING THE HANDLING OF THE PRODUCT, AVOID THE CONTAMINATION OF SOILS, RIVERS, LAGOONS, STREAMS, DAMS, CHANNELS OR WATER DEPOSITS, NOT WASHING OR SEWING IN THE WASTE OF PESTICIDES OR EMPTY CONTAINERS".

"MANAGE THE EMPTY CONTAINER AND THE WASTE OF THE PRODUCT IN ACCORDANCE WITH THE GENERAL LAW FOR THE PREVENTION AND INTEGRAL MANAGEMENT OF WASTE, ITS REGULATIONS OR THE EMPLOYEE HANDLING PLAN OF PESTICIDES, REGISTERED BEFORE THE SEMARNAT".

"IMPROPER USE OF THIS PRODUCT MAY CONTAMINATE UNDERGROUND WATER. AVOID HANDLING NEAR WATER WELLS AND DO NOT APPLY WHERE THE LEVEL OF THE AQUIFER MANTOS IS LITTLE DEEP (75 CM DEPTH) AND THE SOILS ARE VERY PERMEABLE (SANDY) ".

"IN CASE OF SPILLS, PERSONAL PROTECTIVE EQUIPMENT SHOULD BE USED AND THE SPILLED PRODUCT RECEIVED WITH ANY ABSORBENT MATERIAL (FOR EXAMPLE EARTH OR CLAY), COLLECT THE WASTE IN A HERMETIC CONTAINER AND TAKE IT TO THE NEAREST AUTHORIZED DANGEROUS WASTE DISPOSAL CENTER" .

"PERFORM THE TRIPLE WASHING OF THE EMPTY CONTAINER AND VIEW THE RINSE WATER IN THE TANK OR CONTAINER WHERE THE MIX PREPARES FOR APPLICATION".

ECOTOXICOLOGICAL CATEGORY:

THIS PRODUCT IS HIGHLY TOXIC FOR LIVER BLOODY ANIMALS (BIRDS).

THIS PRODUCT IS EXTREMELY TOXIC FOR ANIMALS (FISH, AQUATIC INVERTEBRATES) AND AQUATIC PLANTS (ALGAE).

THIS PRODUCT IS HIGHLY TOXIC FOR BEES. DO NOT APPLY WHEN THE CULTIVATION OR WEEDS ARE IN FLOWER AND WHEN THE BEES ARE RELEASED.



"USE EXCLUSIVELY IN CROPS AND PLAGUES HERE RECOMMENDED"

"INSTRUCTIONS FOR USE"

"ALWAYS CALIBER YOUR APPLICATION TEAM"

DULKO SC® is an insecticide of the group of phenylpyrazoles, formulated as a concentrated aqueous suspension that acts by contact and ingestion, of foliar application.

It is recommended in the crop and against the plague that is indicated:

CROP	PLAGUE	SCIENTIFIC NAME	DOSE	RECOMMENDATION
Triticale (SL)	Rice, Oats, Barley, Rye, Corn, Wheat, Triticale	<i>Phyllophaga vetula</i>	800-1000 mL/ha	Make the application in band, directly to the seed before being covered at the time of sowing. Application volume 150-250 L / ha
Chrysanthemum (SL)	Trips	<i>Frankliniella occidentalis</i>	30-40 mL/200 L of water	Perform two applications with an interval of 7 days between each Application volume 400 L / ha
Potato (45)	Gallina ciega	<i>Phyllophaga obsoleta</i>	800-1000 mL/ha	Make an application directed to the bottom of the furrow at the time of sowing. Application volume: 160-260 L / ha

() Security interval in days, between the last application and the harvest

TIME OF RESENT TO THE TREATED ZONES: DO NOT ENTER THE TREATED AREA BEFORE 3 HRS.

METHOD FOR APPLYING THE PRODUCT AND RESTRICTIONS OF USE

"AGREE WELL BEFORE USE"

Before opening, check that the container is properly closed. Shake the product well before opening the container. Proceed to remove the safety seal and with the help of a test piece proceed to measure the amount of product that will be applied. Mix the product with water in a separate container, then shake and proceed to empty its contents in the application tank continuing its agitation.

CONTRAINDICATIONS: Do not apply with strong winds or temperatures above 35 ° C.

PHYTO-TOXICITY:

DULKO SC® is not phytotoxic if it is used in the manner specifically recommended on this label.

When the potential phytotoxicity is unknown, a small test should be done prior to its application to avoid undesirable effects.

INCOMPATIBILITY:

DULKO SC® must be applied alone.

RESISTANCE MANAGEMENT

"TO PREVENT THE DEVELOPMENT OF RESISTANT POPULATIONS, ALWAYS RESPECT THE DOSE AND THE APPLICATION FREQUENCIES; AVOID THE REPEATED USE OF THIS PRODUCT, ALTERING IT WITH OTHER CHEMICAL GROUPS OF DIFFERENT MODES OF ACTION AND DIFFERENT MECHANISMS OF DETOXIFICATION AND THROUGH THE SUPPORT OF OTHER CONTROL METHODS".

WARRANTY: LAPISA S.A. DE C.V., guarantees the composition of the product in accordance with what is specified in the present label.

However, for no reason assumes responsibility for the misuse of the product or for any damage that could be caused.

