

Pylosin 200

Solution for injection based on tylosin

REG. SAGARPA Q-2083-038

FORMULA

Each mL contains:
Tylosin base 200 mg
Vehicle c.b.p. 1 mL

PRESENTATIONS

Bottles of 100 and 250 mL.



Tylosin is an antibiotic from the group of macrolides, which is characterized chemically by having an extremely large lactone ring in its structure. These macrolides are glycosides, in which the lactone is bound to two sugars, one of which is an amino sugar. This antibiotic, like the other macrolides, is obtained from a strain of *Streptomyces fradiae*, isolated from the soil.

INDICATIONS

Indicated in all animal species, both in local and generalized infections caused by germs sensitive to the formula. For the treatment of mycoplasmic pneumonia, pneumoenteritis, gubarro, metritis, mastitis, corynebacteriosis.

SPECIES IN WHICH THE PRODUCT IS RECOMMENDED

Bovine, ovine, caprine and porcine.

DOSAGE AND ADMINISTRATION

10 mg per kg of live weight every 24 hours, equivalent to applying 1 mL per 20 kg of weight to weight every 24 hours.

ROUTE OF ADMINISTRATION

Apply by intramuscular or subcutaneous injection. The dosage and frequency of treatment should be adjusted according to the needs of each animal to be treated.

WARNINGS

This product should not be used 21 days before the slaughter of animals intended for human consumption.

Do not use the milk of treated animals for human consumption until 72 hours after the last treatment.

Store in a cool place, protect yourself from sunlight.

Keep out of the reach of children.

CONSULT THE VETERINARY PHYSICIAN.

YOUR PURCHASE REQUIRES A MEDICAL PRESCRIPTION.