

"Agricultural use"



ZELK[®]
ACETAMIPRID 20 PS

Acetamiprid Insecticide
Agricultural / Soluble Powder

PERCENTAGE COMPOSITION

% in weigh

Active ingredient:

Acetamiprid:

20.0

(E) -N 1 - [(6-chloro-3-pyridyl) methyl] -N2-cyano-N1--methylacetamidine
(equivalent to 200 g ai / kg at 20 ° C)

Inert Ingredients:

80.0

Buffers, surfactant, emulsifier, dye, diluent.

Total

100.0

Registration: RSCO-INAC-0101U-0508-003-20.0



"Harmful if swallowed"

"Harmful by skin contact"

"Harmful if inhaled"

Registrant, developed and distributed by: LAPISA, SA DE CV

Carr. La Piedad-Guadalajara Km. 5.5
Camelinas Col., CP 59375, La Piedad,
Michoacan, Mexico. Tel. : 01 (352) 526 13 00.

www.lapisa.com

MADE IN CHINA AND / OR IN MEXICO

"This material is not a label, the function of this document is illustrative."

CAUTION

"STOP: READ THE LABEL BEFORE USING THE PRODUCT" "PRECAUTIONS AND WARNINGS FOR USE"

Use the appropriate and complete protective equipment necessary to safely perform handling operations for the preparation, the loading of the application equipment and its application: cotton cap and overalls, dust mask, goggles or lenses of chemical type, gloves and neoprene boots. Keep stored in a safe place.

"PRECAUTIONS DURING PRODUCT HANDLING"

"DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT". "DO NOT TRANSPORT OR STORE ALONG WITH FOOD PRODUCTS, CLOTHES OR FORAGE." "KEEP OUT OF REACH OF CHILDREN, PREGNANT, LACTATION AND ANIMAL WOMEN DOMESTICOS ". "WASH YOUR HANDS AFTER USING THE PRODUCT AND BEFORE CONSUMING FOOD". "DO NOT STORE IN HOUSES ROOM". "DO NOT USE THE PRODUCT WITHOUT THE PROPER PROTECTION EQUIPMENT". "PERSONS UNDER 18 YEARS OLD SHOULD NOT HANDLE THIS PRODUCT". "AT THE END OF THE WORK DAY BATH AND PUT CLEAN CLOTHES". "DO NOT INGIRE, INHALE AND AVOID CONTACT WITH EYES AND SKIN". "DO NOT MIX OR PREPARE THE PRODUCT WITH YOUR HANDS, USE GLOVES, USE A PIECE OF WOOD OR OTHER APPROPRIATE MATERIAL ". "DO NOT UNLOCK THE NOZZLE WITH THE MOUTH".

"IN CASE OF INTOXICATION, TAKE THE PATIENT WITH THE DOCTOR AND SHOW THIS LABEL" "FIRST AID"

In case of poisoning get medical attention immediately or call the Poison Center (ATOX) for medical assistance 24 hours a day at 01-800-000-2869, meanwhile, it is recommended to apply the following measures of first aid:

In case of contact with skin or mouth, wash immediately.
Remove the subject from the contaminated area.
Remove contaminated clothing and wash exposed parts with plenty of water.

Ingestion: Immediately give one or two glasses of water and induce vomiting by gently touching the back of the throat with a finger or dull object. Do not induce vomiting or administer anything by mouth to an unconscious person. Inhalation: Move contaminated person to fresh air. If you do not breathe, give artificial respiration, preferably from mouth to mouth

"RECOMMENDATIONS TO THE DOCTOR"

Chemical Group: Cloronicotiniles.

Antidote and treatment: There is no specific antidote, therefore, treatment should be given symptomatic.

Signs and symptoms of poisoning:

Oral: if the pesticide has been ingested, it causes nausea and vomiting.

This product acts on the central nervous system, the symptoms of poisoning include: headaches, tremors, salivation, incontinence to urinate, ataxia and convulsions.

Dermal: irritation in skin and eyes is minimal.

"MEASURES FOR PROTECTION TO THE ENVIRONMENT"

"DURING THE HANDLING OF THE PRODUCT, AVOID THE CONTAMINATION OF SOILS, RIVERS, LAGOONS, ARROYOS, DAMS, CHANNELS OR WATER DEPOSITS, NOT WASHING OR WASTING IN THE PESTICIDE RESIDUES OR EMPTY CONTAINERS".

"MANAGE THE EMPTY CONTAINER AND THE WASTE OF THE PRODUCT AS PROVIDED IN GENERAL LAW FOR THE PREVENTION AND INTEGRAL MANAGEMENT OF WASTE, ITS REGULATIONS OR THE MANAGEMENT PLAN FOR EMPTY CONTAINERS OF PESTICIDES, REGISTERED BEFORE THE SEMARNAT ".

"IMPROPER USE OF THIS PRODUCT MAY CONTAMINATE UNDERGROUND WATER. AVOID HANDLING NEAR WATER WELLS AND DO NOT APPLY WHERE THE LEVEL OF THE AQUIFER MANTES IS LITTLE DEEP (75 CM DEPTH) AND THE SOILS ARE VERY PERMEABLE (SANDY) ".

"IN THE EVENT OF ACCIDENTAL FALL OF THE PRODUCT, PERSONAL PROTECTIVE EQUIPMENT SHOULD BE USED, RECOVER THE PRODUCT THAT IS USEFUL UNTIL WHERE POSSIBLE, AND OTHERWISE COLLECT IT IN A HERMETIC CONTAINER AND TAKE IT TO THE AUTHORIZED HAZARDOUS WASTE DISPOSAL CENTER MORE NEAR".

ECOTOXICOLOGICAL CATEGORY:

THIS PRODUCT IS MODERATELY TOXIC FOR BEES. DO NOT APPLY WHEN THE CULTIVATION OR WEEDS ARE IN FLOWER AND WHEN THE BEES ARE RELEASED.



"USE EXCLUSIVELY IN CROPS AND PLAGUES HERE
RECOMMENDED" "INSTRUCTIONS FOR USE"
"ALWAYS CALIBER YOUR APPLICATION TEAM"

CULTURE	PLAGUE	DOSE
Chile, Eggplant, Tomato, Potato, Shell tomato (7)	White mosquito (<i>Bemisia tabaci</i>) Jumping aphids (<i>Paratrioza cockerelli</i>)	200-300 g / ha Make two sprays to the foliage at intervals of 7 days between each one
Onion, Chives, Poro, Garlic, Asparagus (7)	Trips (<i>Frankliniella occidentalis</i>)	200-300 g / ha Perform two sprays to the foliage at intervals of 5 days between each one.
Cucumber, Cantaloupe, Watermelon, Pumpkin, Zucchini, Chayote (7)	White mosquito (<i>Bemisia tabaci</i>) Trips (<i>Frankliniella occidentalis</i>)	200-300 g / ha Make two sprays to the foliage at intervals of 7 days between each one

() Security interval in days, between the last application and the harvest.

TIME OF REENTATION TO THE TREATED ZONES: DO NOT ENTER THE TREATED AREA BEFORE 12 HRS.

METHOD FOR PREPARING AND APPLYING THE PRODUCT

Carefully open the bag using your mask. Place a small amount of water in a separate container, add the product to the recommended dose on this label and shake, then empty this premix to the tank of the equipment and add all the water calculated in the calibration. It is recommended to keep in agitation. Application volume 600 L / ha.

CONTRAINDICATIONS

Do not apply with strong winds or temperatures above 35° C.

PHYTO-TOXICITY This product is not phytotoxic in the crops indicated here if it is applied at the doses recommended in this label.

INCOMPATIBILITY

This product should not be mixed with other products.

"RESISTANCE MANAGEMENT"

"TO PREVENT THE DEVELOPMENT OF RESISTANT POPULATIONS, ALWAYS RESPECT THE DOSE AND THE APPLICATION FREQUENCIES; AVOID REPEATED USE OF THIS PRODUCT, ALTERING IT WITH OTHERS CHEMICAL GROUPS OF DIFFERENT MODES OF ACTION AND DIFFERENT MECHANISMS OF DETOXIFICATION AND THROUGH THE SUPPORT OF OTHER CONTROL METHODS".

WARRANTY: LAPISA SA DE CV, guarantees the composition of the product in accordance with what is specified in this label. However, for no reason assumes responsibility for the misuse of the product or for the damage that is caused by it. could cause.

