

"Agricultural use"



Agriver® 1.8 PH

abamectina
Insecticide Wettable Powder

Percentage composition

% in weigh

Active ingredient:

Abamectin (avermectin): B1 avermectins mixture containing not less than 80% of avermectin B1a and not more than 20% avermectin B1b of.

(Equivalent to 18 g ai / kg)

Not less than: 1.80

Inert Ingredients:

Glidant, emulsifiers, dispersant, pH adjustor vehicle and excipient.

No more than: 98.20

TOTAL: 100.00

Reg: RSCO-INAC-0174-316-002-002



"Harmful if inhaled"
"Harmful if swallowed"
"Harmful by skin contact"

Formulated and Distributed by:

LAPISA, SA DE CV

Carr. La Piedad-Guadalajara Km. 5.5

Col. Camelinas, CP 59375,

La Piedad, Michoacán, Mexico.

Tel.: 01 (352) 526 13 00.

www.lapisa.com

MADE IN MEXICO

"This material is not a label, the function of this document is illustrative."

CAUTION

STOP: READ THE LABEL BEFORE USING THE PRODUCT PRECAUTIONS AND WARNINGS OF USE

Use the appropriate and complete protective equipment necessary to safely perform handling operations for the preparation, the loading of the application equipment and its application: cap and cotton overalls, dust mask, goggles or chemical-type lenses, gloves and neoprene boots.

PRECAUTIONS DURING PRODUCT HANDLING

DO NOT EAT, DRINK OR SMOKE WHEN YOU ARE USING THIS PRODUCT.
DO NOT TRANSPORT OR STORE NEXT TO FOOD PRODUCTS, CLOTHES OR FORAGE.
KEEP OUT OF REACH OF CHILDREN, PREGNANT, LACTATION AND ANIMAL WOMEN DOMESTICOS.
WASH YOUR HANDS AFTER USING THE PRODUCT AND BEFORE CONSUMING FOOD.
DO NOT STORE IN HOUSES ROOM.
DO NOT USE THE PRODUCT WITHOUT THE PROPER PROTECTION EQUIPMENT.
PERSONS UNDER 18 YEARS OF AGE SHOULD NOT HANDLE THIS PRODUCT.
AT THE END OF THE WORK DAY, BAKE UP AND PUT CLEAN CLOTHES.
DO NOT INGEST, INHALE AND AVOID CONTACT WITH EYES AND SKIN.
DO NOT MIX OR PREPARE THE PRODUCT WITH YOUR HANDS, USE GLOVES, USE A WOOD PIECE OR OTHER APPROPRIATE MATERIAL.
DO NOT UNPLUG THE NOZZLE WITH THE MOUTH

IN CASE OF INTOXICATION, CARRY THE PATIENT WITH THE DOCTOR AND SHOW THIS LABEL.
FIRST AID

In case of poisoning get immediate medical attention or call the Poison Center (ATOX) for medical assistance 24 hours a day at no cost at 01-800-000-2869, meanwhile, it is recommended to apply the following First aid measures:

In case of contact with skin or mouth, wash immediately.

Remove the subject from the contaminated area.

Remove contaminated clothing and wash exposed parts with plenty of water.

If vomiting occurs, flip the subject over the side and ensure that you breathe without difficulty.

RECOMMENDATIONS TO THE DOCTOR

Chemical Group: Avermectins (Macrocyclic Lactone).

Antidote: Use symptomatic treatment.

Treatment: Poisoning followed by ingestion of the product, can be minimized by inducing vomiting inside of the first 30 minutes after the exhibition. If the toxicity progresses to severe vomiting, you should evaluate the degree of appropriate electrolyte imbalance, together with other support measures (maintenance of the blood pressure), as indicated by signs and symptoms and other clinical measurements. In severe cases, it must be Continue to observe the patient for several days, until the clinical condition is stable and normal. Because the Abamectin increases the activity of gamma aminobutyric acid in animals, it is prudent to avoid drugs that increase the activity of this substance (barbiturates, benzodiazepines, valproic acid) in patients with potential toxicity by exposures to abamectin.

Signs and Symptoms of Intoxication: Oral and inhalation: the first symptoms of intoxication that appear are the dilation of the pupils, lack of coordination and convulsions.

MEASURES FOR PROTECTION TO THE ENVIRONMENT

"DURING THE HANDLING OF THE PRODUCT, AVOID THE CONTAMINATION OF SOILS, RIVERS, LAGOONS, STREAMS, DAMS, CHANNELS OR WATER TANKS, NOT WASHING OR WASTING IN THE RESIDUES OF PESTICIDES OR EMPTY PACKAGES "

"MANAGE THE EMPTY CONTAINER AND THE WASTE OF THE PRODUCT AS PROVIDED IN LAW GENERAL FOR THE PREVENTION AND INTEGRAL MANAGEMENT OF RESIDUES, ITS REGULATIONS OR THE PLAN OF HANDLING OF EMPTY PESTICIDES OF PESTICIDES, REGISTERED BEFORE THE SEMARNAT "

"UNSUITABLE USE OF THIS PRODUCT MAY CONTAMINATE UNDERGROUND WATER. AVOID HANDLE IT NEAR WATER WELLS AND DO NOT APPLY WHERE THE LEVEL OF THE AQUIFER BLANKETS BE LITTLE DEEP (75 CM OF DEPTH) AND THE SOILS ARE VERY PERMEABLE (SANDY) "

"IN CASE OF ACCIDENTAL FALL OF THE PRODUCT, PERSONAL PROTECTIVE EQUIPMENT SHOULD BE USED, RECOVER THE PRODUCT THAT IS USEFUL UNTIL WHERE POSSIBLE, AND OTHERWISE COLLECT IT IN A HERMETIC CONTAINER AND TAKE IT TO THE AUTHORIZED DANGEROUS WASTE DISPOSAL CENTER MORE NEAR"



"USE EXCLUSIVELY IN CROPS AND PLAGUES HERE

RECOMMENDED"

"INSTRUCTIONS FOR USE"

"ALWAYS CALIBER YOUR APPLICATION TEAM"

RECOMMENDATIONS FOR USE

CULTURE	PLAGUE	DOSE	RECOMMENDATIONS
Tomato (3)	Leaf Miner <i>Liriomyza sp.</i>	750-1000 g / Ha	Foliar application.

() Range safety days

TIME OF REENTATION TO THE TREATED ZONES

DO NOT ENTER THE TREATED AREA BEFORE 24 HRS.

METHOD TO PREPARE AND IMPLEMENT THE PRODUCT

Open the container bag carefully from the top and measure the amount of product indicated on the label. Mix in the spray tank with half recommended water, then add remaining water and stir the mixture constantly.

Apply as soon adults of leaf miners or their bites appear, repeat the application at least 7 day intervals. When plants are large, dense, or heavy infestations, use higher doses.

CONTRAINDICATIONS

Do not apply strong winds or temperatures above 35 ° C.

PHYTO-TOXICITY

Agriver PH 1.8, It is not phytotoxic if used as specifically recommended in this label. When the potential phytotoxicity is unknown, it should be a small pre-test your application to avoid undesirable effects.

INCOMPATIBILITY

Agriver PH 1.8, It is compatible with most pesticides, however, it is recommended that a small test of incompatibility prior to mixing with other materials. Mixtures only be those products that have those products that have registration cultivation and indicated pest.

RESISTANCE MANAGEMENT

"TO PREVENT THE DEVELOPMENT POPULATIONS RESISTANT, ALWAYS OBSERVE THE DOSE AND FREQUENCY OF APPLICATION; AVOID REPEATED USE OF THIS PRODUCT, alternating with other chemical groups of different modes of action and different detoxification mechanisms and by supporting other control methods "

WARRANTY: LAPISA SA DE CV, ensures product composition as specified in this label. However, under no circumstances liable for misuse of the product or damage that might cause it is.

