

REG. SAGARPA Q-2083-162

FORMULA

Each can contains: Chlortetracycline hydrochloride - 3.210 g Vehicle cbp. - 211 mL

PRESENTATIONS

1 can with 211 mL.



INDICATIONS

In general Cycle Spray is indicated for the treatment and prevention of skin infections (including traumatic and surgical wounds).

USE IN

Bovines, pigs, sheep, goats, horses, birds, canines and felines.

DOSAGE AND ROUTE OF ADMINISTRATION

Cycle Spray is indicated for cutaneous administration. Shake the container well before use. Hold the container at a distance of 15 to 20 cm from the area to be treated. Apply for approximately 3 seconds until the area to be treated is colored. A single application is recommended for the prevention of infections after superficial injuries or surgical wounds. In the case of infections in claws and hooves, repeat the treatment after 30 seconds. Depending on the evolution of the lesion and / or infection, repeat the treatment on the 1st or 3rd day. Topical treatment can be used alone or in combination with systemic therapy.

WARNINGS

Period of withdrawal in meat and milk: zero days.

Pressurized container. Protect from sunlight, do not expose the container to temperatures above 50°C. Do not burn or puncture the container. This product is flammable, do not use it while smoking or near the fire.

This product does not harm the ozone layer.

Store in a cool, dry place.

Keep out of reach of children.

CONSULT THE VETERINARY PHYSICIAN YOUR SALE REQUIRES MEDICAL RECIPE