% in weigh

90.0

100.0

10.0





Agricultural fungicide / Wettable powder

PERCENTAGE COMPOSITION

Active ingredient:

Cymoxanil:

1 - [(EZ) -2-cyano-2-methoxyiminoacetyl] -3-

ethylurea

(Equivalent to 100 g ai / kg)

Inert ingredients:

Anti-caking, dispersant and vehicle.

TOTAL:

Registro: RSCO-FUNG-0362-305-002-010



"Harmful if inhaled"

Registered owner, Formulated and Distributed by: LAPISA, SA DE CV Carr. La Piedad-Guadalajara Km. 5.5 Col. Camelinas, CP 59375, La Piedad, Michoacán, Mexico. Tel .: 01 (352) 526 13 00.

www.lapisa.com **MADE IN MEXICO**

CAUTION

"STOP: READ THE LABEL BEFORE USING THE PRODUCT"

"PRECAUTIONS AND WARNINGS FOR USE"

Use the appropriate and complete protective equipment necessary to safely perform the operations of handling for the preparation, the loading of the application equipment and its application: cotton cap and overalls, face mask

against powders, goggles or chemical-type lenses, gloves and neoprene boots.

"PRECAUTIONS DURING PRODUCT HANDLING"

"DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT".

"DO NOT TRANSPORT OR STORE ALONG WITH FOOD PRODUCTS, CLOTHES OR FORAGE."

"KEEP OUT OF REACH OF CHILDREN, PREGNANT WOMEN, BREASTFEEDING AND PETS".

"WASH YOUR HANDS AFTER USING THE PRODUCT AND BEFORE CONSUMING FOOD".

"DO NOT STORE IN HOUSES ROOM".

"DO NOT USE THE PRODUCT WITHOUT THE PROPER PROTECTION EQUIPMENT".

"PERSONS UNDER 18 YEARS OLD SHOULD NOT HANDLE THIS PRODUCT".

"AT THE END OF THE WORK DAY BATH AND PUT CLEAN CLOTHES".

"DO NOT INGIRE, INHALE AND AVOID CONTACT WITH EYES AND SKIN".

"DO NOT MIX OR PREPARE THE PRODUCT WITH YOUR HANDS, USE GLOVES, USE A WOOD PIECE OR OTHER APPROPRIATE MATERIAL."

"DO NOT UNLOCK THE NOZZLE WITH THE MOUTH".

"IN CASE OF INTOXICATION, TAKE THE PATIENT WITH THE DOCTOR AND SHOW THIS LABEL" "FIRST AID"

In case of intoxication get medical attention immediately or call the Poison Care Center

(ATOX) for medical assistance 24 hours a day at 01-800-000-2869, meanwhile, it is recommended to apply The following first aid measures:

If swallowed: immediately give 2 glasses of water and induce vomiting. If the person is unconscious,

Do not put anything in your mouth Call a doctor.

If inhaled: remove the affected person from the contaminated area and lay it down in a cool, well-ventilated place.

the person does not breathe provide artificial respiration. If breathing becomes difficult, provide oxygen.

If there is contact with the skin and eyes: rinse with plenty of water for a minimum of 15 minutes. If irritation persist consult your doctor.

"RECOMMENDATIONS TO THE DOCTOR"

Chemical Group: Acetamide.

Antidote: No specific antidote is known. **Treatment:** Use symptomatic treatment.

Signs and symptoms of intoxication: Dizziness, headache, cough, confusion, lack of coordination and loss of

knowledge.

"MEASURES FOR PROTECTION TO THE ENVIRONMENT"

"DURING THE HANDLING OF THE PRODUCT, AVOID THE CONTAMINATION OF SOILS, RIVERS, LAGOONS, STREAMS, DAMS, CHANNELS OR WATER DEPOSITS, NOT WASHING OR WASHING THEMSELVES IN THEM RESIDUES OF PESTICIDES OR EMPTY CONTAINERS".

"MANAGE THE EMPTY CONTAINER AND THE WASTE OF THE PRODUCT ACCORDING TO WHAT IS ESTABLISHED IN THE

GENERAL LAW FOR THE PREVENTION AND INTEGRAL MANAGEMENT OF RESIDUES, ITS REGULATIONS OR PESTICIDE EMPTY PACKAGING PLAN, REGISTERED BEFORE THE SEMARNAT ".

"IMPROPER USE OF THIS PRODUCT MAY CONTAMINATE UNDERGROUND WATER. AVOID HANDLE IT NEAR WELLS OF WATER AND DO NOT APPLY WHERE THE LEVEL OF THE BLANKETS AQUIFERS ARE LITTLE DEEP (75 CM DEPTH) AND THE SOILS ARE VERY PERMEABLE (SANDY) ".

"IN THE EVENT OF ACCIDENTAL FALL OF THE PRODUCT, PROTECTIVE EQUIPMENT SHOULD BE USED PERSONAL, RECOVER THE PRODUCT THAT IS USEFUL UNTIL WHERE POSSIBLE, AND OTHERWISE PICK IT IN A HERMETIC CONTAINER AND TAKE IT TO THE RESIDUE COLLECTION CENTER DANGEROUS AUTHORIZED NEAREST".





"USE EXCLUSIVELY IN CROPS AND PLAGUES HERE RECOMMENDED" "INSTRUCTIONS FOR USE" "ALWAYS CALIBER YOUR APPLICATION TEAM"

| CULTIVO | PLAGUE | DOSAGE kg/Ha |
|--|---|--------------|
| Potato (15) | Late Blight (Phytophthora infestans) | 2-3 |
| Cucumber*, Melon*, Watermelon, Zucchini*, Pumpkin* | Mildew (Pseudoperonospora cubensis) | 1-2 |

- () Security interval: days that must elapse between the last application and the harvest.
- * Under conditions of protected agriculture.

TIME OF REENTATION TO THE TREATED ZONES: DO NOT ENTER THE TREATED AREA BEFORE 24 HRS. METHOD FOR PREPARING AND APPLYING THE PRODUCT

Carefully open the container and in a drum with water mix the amount of product according to the doses recommended, use CYMOX 10 ® with preventive fungicides to complement the healing action, shake until it is the product fully incorporated into the water, while stirring fill with the missing water until reaching the desired final volume. To obtain good results, make good crop coverage by calibrating your application equipment. It is recommended make two applications with an interval between each of 7 days. It is recommended to do the applications in the morning and without

wind.

Application to foliage with water volume of 430-530 L / ha.

CONTRAINDICATIONS:

Do not apply when the crop is under stress conditions such as drought, extreme low temperatures, deficiencies nutritional or any other factor that interferes with the growth of the crop.

Do not use plant remains treated with this product as fodder.

Avoid applying when there are possibilities of rain to avoid washing the product.

PHYTO-TOXICITY:

CYMOX 10 ® is not phytotoxic if it is used in the manner specifically recommended on this label. When you do not know Potential phytotoxicity should be done a small test prior to its application to avoid undesirable effects.

INCOMPATIBILITY:

Do not mix with surfactant pesticides and / or fertilizers without previous tests that demonstrate compatibility. Mix only with products authorized by COFEPRIS.

RESISTANCE MANAGEMENT

"TO PREVENT THE DEVELOPMENT OF RESISTANT POPULATIONS, ALWAYS RESPECT THE DOSE AND THE APPLICATION FREQUENCIES; AVOID REPEATED USE OF THIS PRODUCT, ALTERING IT WITH OTHERS CHEMICAL GROUPS OF DIFFERENT MODES OF ACTION AND DIFFERENT MECHANISMS OF DETOXIFICATION AND THROUGH THE SUPPORT OF OTHER CONTROL METHODS ".

WARRANTY: LAPISA SA DE CV, guarantees the composition of the product in accordance with what is specified in this label. However, for no reason assumes responsibility for the misuse of the product or for the damage that is caused by it. could cause.





