

GARRA BAN MO 29[®]

Emulsifiable concentrate Garrapaticide and mosquicide
REG. RSCO-PEC-MEZC-1105-301-009-029



FORMULA

ACTIVE INGREDIENTS:

CHLORPYRIFOS: (0,0-diethyl-0- (3,2,6-trichloro pyridinyl phosphorothioate)

(Equivalent to 240 gr of AI / L) not less than: 24%

PERMETRINE: (3-phenoxypheny) -methyl (+) cistrans -3- (2,2-dichloroethenyl) -2,2-dimethylcyclopropanecarboxlate

AROMATIC INGREDIENTS

(Equivalent to 50 gr of AI / L) not less than: 5%

EMULSIFICABLEno more than: 71%

TOTAL 100%

PRESENTATIONS

100 mL, 1 and 5 Liters

INDICATIONS

It is an emulsifiable concentrate, a mixture of a pyrethroid and an organophosphate with action on ticks of cattle of one or more hosts and blood-sucking flies.

USE

Product formulated for use by sprinkling and immersion, indicated for the control of:

Ticks: *Boophilus microplus*, *B. annulatus*, *Amblyomma cajennense*, *Dermacentor occidentalis*, *D. dissimilis*, *Anocentor nitens*.

Flies: Horn or palette fly (*Haematobia irritans*). Stable fly or brave fly (*Stomoxys calcitrans*).

Sucking lice: *Haematopinus eurysternus*, *H. suis*, *Lignogatus vitulli*, *Solenopotes capillatus*.

Chewing lice: *Melophagus* spp, *Damalinia* spp.

DOSAGE AND ROUTE OF ADMINISTRATION

1 mL / 1 L bath

Use 4 L of prepared product of water to bathe each animal, impregnate well in the areas preferred by ticks: ears, tail insertion and udder.

1 L / 1,000 bath

The recharge must be carried out each time the volume of the bath decreases 1,000 L; replenishing the water and adding 2 L more of GARRA BAN MO 29[®].

WARNINGS

Period of withdrawal in meat and milk: zero days.

Store in a cool, dry place.

Keep out of reach of children.

CONSULT A VETERINARY