

Kaneozol

Oral suspension

REG. SAGARPA Q-2083-025

FORMULA

Each 100 mL contains:

Neomycin sulfate 154 mgB

Sulfaguanidine 6,600 mg

Sulfatiazole Sodium 400 mg

Colloidal Caolin 10 g

Activated Atapulquite 10 g Aluminum

Hydroxide 1 g

Citrus Pectin 200 mg

200 mg sweetener

Vehicle c.b.p. 100 mL



PRESENTATIONS

60 and 250 mL

INDICATIONS

Indicated in the treatment of diarrhea and bacterial enteritis susceptible to the action of the formula in cattle, (calves), equines, sheep, goats, swine, canines and felines.

INDICATED SPECIES

Bovine, equine, ovine, caprine, porcine, canine and feline

DOSE

Bovine and Equine: from 60 to 100 mL

Sheep, Goats and Swine: from 5 to 15 mL

Canines and Felines: from ½ to 2 teaspoons orally.

ROUTE OF ADMINISTRATION

Oral.

WARNINGS

This product should not be used 15 days before slaughter of animals intended for human consumption.

Shake well before use.

Store in a cool, dry place protected from sunlight.

Keep out of reach of children.

CONSULT THE VETERINARY PHYSICIAN YOUR SALE REQUIRES MEDICAL RECIPE