

# NEUMOCLOR 200®

chlortetracycline in premix

**REG. SAGARPA Q-2083-153**

## FORMULA

Chlortetracycline 200 g Excipient c.b.p. 1 kg

## USO IN

Poultry, Swines y Bovine.

## PRESENTATIONS

25 kg.



## INDICATIONS

Antibiotic premix indicated for the prevention and treatment of diseases of birds, pigs and cattle caused by germs susceptible to Chlortetracycline, as well as coadjuvant in infections secondary to a viral disease.

## DOSAGE AND ADMINISTRATION

Preventive and stress control: 1.0 Kg per Ton of finished food.

Prophylaxis: 2.0 Kg per Ton of finished food.

	POULTRY	SWINES	BOVINES
Infectious synovitis	2.5 Kg per ton of finished food.		
Mortality by E.coli	2.5 Kg per ton of finished food		
Abortions for Leptospirosis		From 4 to 5 Kg per ton of finished food	
Bacterial diarrhea and pneumonia		2.5 Kg per ton of finished food	1.5 Kg per ton of finished food
Anaplasmosis			Animals up to 300 Kg: 1.5 Kg / Ton of finished food. Animals of 300 to 400 Kg: 2.5 Kg / Ton of finished food.. Animals from 450 to 680 Kg: 4.0 Kg / Ton of finished food

**ROUTE OF ADMINISTRATION**

Oral, mixed with food.

**WARNINGS**

Do not use the meat of treated animals for human consumption for up to 5 days after treatment. Do not use the milk of treated animals until 10 days after treatment.

Do not use this product in laying birds.

Keep in a cool and dry place.

CONSULT THE VETERINARY PHYSICIAN

YOUR PURCHASE REQUIRES A MEDICAL PRESCRIPTION