

"AGRICULTURAL USE "



Tool TS[®]

Imidacloprid
Insecticide, dispersible powder for seed treatment

PERCENTAGE COMPOSITION

	% en Peso
Active ingredient:	70.00
Imidacloprid:	
1- (6-chloro-3-pyridin-3-ylmethyl) -N-nitroimidazolidin-2-ylidenamine (Equivalent to 700 g i.a./kg)	
Inert ingredients:	30.00
Anti-caking agent, chelating agent, adhesion agent, colorant and vehicle	
Total	100.00
Registry: RSCO-INAC-0199-361-385-070	



"Harmful if inhaled "

Holder of the registration, Formulated and Distributed by:
LAPISA, S.A. DE C.V.
Carr. La Piedad-Guadalajara Km. 5.5
Col. Camelinas, C.P. 59375,
La Piedad, Michoacán, Mexico.
Tel .: 01 (352) 526 13 00.
www.lapisa.com
MADE IN MEXICO

"THIS MATERIAL IS NOT A LABEL, THE FUNCTION OF THIS DOCUMENT IS ILLUSTRATIVE."

CAUTION

"STOP: READ THE LABEL BEFORE USING THE PRODUCT"

"PRECAUTIONS AND WARNINGS FOR USE"

Use the appropriate and complete protective equipment necessary to safely perform the handling operations for the preparation, the loading of the application equipment and its application: cotton cap and overalls, dust mask, goggles or chemical-type lenses, gloves and Neoprene boots.

"PRECAUTIONS DURING PRODUCT HANDLING":

"DO NOT EAT, DRINK OR SMOKE WHEN USING THIS PRODUCT".

"DO NOT TRANSPORT OR STORE ALONG WITH FOOD PRODUCTS, CLOTHES OR FORAGE."

"KEEP OUT OF REACH OF CHILDREN, PREGNANT WOMEN, BREASTFEEDING AND DOMESTIC ANIMALS".

"WASH YOUR HANDS AFTER USING THE PRODUCT AND BEFORE CONSUMING FOOD".

"DO NOT STORE IN HOUSES ROOM".

"DO NOT USE THE PRODUCT WITHOUT THE PROPER PROTECTION EQUIPMENT".

"PERSONS UNDER 18 YEARS OLD SHOULD NOT HANDLE THIS PRODUCT".

"AT THE END OF THE WORK DAY BATH AND PUT CLEAN CLOTHES".

"DO NOT INGIRE, INHALE AND AVOID CONTACT WITH EYES AND SKIN".

"DO NOT MIX OR PREPARE THE PRODUCT WITH YOUR HANDS, USE GLOVES, USE A PIECE OF WOOD OR OTHER APPROPRIATE MATERIAL".

"IN CASE OF INTOXICATION, TAKE THE PATIENT WITH THE DOCTOR AND SHOW THIS LABEL"

"FIRST AID"

In case of intoxication get medical attention immediately or call the Poison Attention Center (ATOX) for medical assistance 24 hours a day at 01-800-000-2869, meanwhile, it is recommended to apply the following first aid measures:

Remove the intoxicated person from the source of contamination to avoid further contact. Get immediate medical attention and show him the label. Keep the patient warm and at rest.

If the product was inhaled, place the person in a cool, well-ventilated place away from the contamination area. If the person does not breathe, start artificial respiration immediately. Do not apply mouth-to-mouth breathing when the person has swallowed product or has contaminated the face.

If there has been any splashing in the eyes, wash them for at least 10 minutes under running water.

If there was spillage on the skin, wash it thoroughly with soap and water and remove the contaminated clothing from the intoxicated person.

If you have ingested the product and the person is conscious, induce vomiting immediately, by inserting a finger into the throat or by administering warm or salty water.

If the person is unconscious, make sure they can breathe without difficulty, do not induce vomiting and do not try to put anything in their mouths.

"RECOMMENDATIONS TO THE DOCTOR"

Chemical Group: Cloronicotiniles.

Antidote: No specific antidote is known. Use symptomatic treatment.

Treatment: Therapy in children should be supervised by a doctor. Check blood pressure and pulse rate, give artificial respiration if signs of paralysis appear. Apply therapeutic measures for elimination of the substance of the body (gastric lavage, saline laxatives).

Signs and Symptoms of Poisoning: Oral: diarrhea and salivation. Dermal: tingling that disappears after a short time, shuddering and hypersensitivity. Inhalation: apathy or impassivity, muscular depression, respiratory disturbances, tremor and in severe cases muscle cramps.

"MEASURES FOR PROTECTION TO THE ENVIRONMENT"

"DURING THE HANDLING OF THE PRODUCT, AVOID THE CONTAMINATION OF SOILS, RIVERS, LAGOONS, STREAMS, DAMS, CHANNELS OR WATER DEPOSITS, NOT WASHING OR SEWING IN THE WASTE OF PESTICIDES OR EMPTY CONTAINERS".

"MANAGE THE EMPTY CONTAINER AND THE WASTE OF THE PRODUCT IN ACCORDANCE WITH THE GENERAL LAW FOR THE PREVENTION AND INTEGRAL MANAGEMENT OF WASTE, ITS REGULATIONS OR THE EMPLOYEE HANDLING PLAN OF PESTICIDES, REGISTERED BEFORE THE SEMARNAT".

"IMPROPER USE OF THIS PRODUCT MAY CONTAMINATE UNDERGROUND WATER. AVOID HANDLING NEAR WATER WELLS AND DO NOT APPLY WHERE THE LEVEL OF THE AQUIFER MANTOS IS LITTLE DEEP (75 CM DEPTH) AND THE SOILS ARE VERY PERMEABLE (SANDY) ".

"IN THE EVENT OF ACCIDENTAL FALL OF THE PRODUCT, PERSONAL PROTECTIVE EQUIPMENT SHOULD BE USED, RECOVER THE PRODUCT WHICH IS USED UNTIL WHERE POSSIBLE, AND OTHERLY COLLECT IT IN A HERMETIC CONTAINER AND TAKE IT TO THE NEAREST AUTHORIZED DANGEROUS WASTE DISPOSAL CENTER".



**"USE EXCLUSIVELY IN THE RECOMMENDED CROPS AND PESTS HERE"
 "INSTRUCTIONS FOR USE"
 "ALWAYS CALIBER YOUR APPLICATION TEAM"**

CROP	PLAGUE	DOSE
Tomato Chile (Unlimited)	Whitefly (<i>Bemisia tabaci</i>) Aphid (<i>Myzus persicae</i>)	70 g /kg of seed
Corn Sorghum (Unlimited)	Blind hen (<i>Phyllophaga ravid</i>)	110-120 g/ 50,000 seeds
Bean, Chickpea, Soya, Chicharo (No Limit)	Whitefly (<i>Bemisia tabaci</i>) Trips (Trips <i>tabaci</i>)	110-120 g / 100 kg of seed

() Security interval in days.

TIME OF REENTATION TO THE TREATED ZONES: 0 days, application to seed.

METHOD FOR PREPARING THE PRODUCT

Tomato and Chile

- To ensure good coverage, follow the following guidelines:
- Place the seed and the required amount of TOOL TS® in a covered container; Shake vigorously for one minute
- Add 50cc of water per kilogram of seed and shake for one minute.
- Add another 50 cc of water again and shake again.
- Finally, let dry in the shade for 15 minutes and then plant the trays.

Corn and Sorghum

TOOL TS® DOES NOT require water and can be applied directly to the hopper of the planter.

Beans, Chickpeas, Soya and Chicharo

Place the seed and the required amount of TOOL TS® in a covered container; Shake vigorously for one minute.

CONTRAINDICATIONS:

Do not treat more seed than necessary for planting.

The treated seed shall be labeled with the following legend: THIS SEED HAS BEEN TREATED WITH IMIDACLOPRID, NOT USED AS A FOOD, FORAGE OR OIL PRODUCTION.

PHYTO-TOXICITY:

TOOL TS® is not phytotoxic at the doses indicated on this label.

If the seed has been stored for a long period and / or if the conditions are adverse for the germination (T°C inferior to 10°C.), We suggest to make a test of germination with the product before applying it in commercial form. It is also convenient to do the same test when using varieties or hybrids recently introduced to the market.

INCOMPATIBILITY:

In order to obtain a good success in the treatment of the seed, it is important to consider factors such as good coverage and greater adherence, so it is recommended NOT to mix with other phytosanitary products at the time of treating the seed with TOOL TS®, this In turn, it will reduce the risk of phytotoxicity to the seed.

RESISTANCE MANAGEMENT

"TO PREVENT THE DEVELOPMENT OF RESISTANT POPULATIONS, ALWAYS RESPECT THE DOSE AND APPLICATION FREQUENCIES; AVOID THE REPEATED USE OF THIS PRODUCT, ALTERING IT WITH OTHER CHEMICAL GROUPS OF DIFFERENT MODES OF ACTION AND DIFFERENT MECHANISMS OF DETOXIFICATION AND THROUGH THE SUPPORT OF OTHER CONTROL METHODS

WARRANTY: LAPISA S.A. DE C.V., guarantees the composition of the product in accordance with what is specified in the present label. However, for no reason assumes responsibility for the misuse of the product or for any damage that could be caused.

